

L Number	Hits	Search Text	DB	Time stamp
1	331	ground\$4 near5 backplane	USPAT; EPO	2004/06/03 13:30
2	1	ground\$4 near5 backplane same (sleep\$3 stand\$1by)	USPAT; EPO	2004/06/03 13:55
3	36	oprescu.in. and apple.as.	USPAT; EPO	2004/06/03 13:55
8	1147	residual near2 (power voltage)	JPO; IBM_TDB	2004/06/03 15:53
9	87	residual near2 (power voltage) with prevent\$4	JPO; IBM_TDB	2004/06/03 15:54
10	0	residual near2 (power voltage) with prevent\$4 same ground	JPO; IBM_TDB	2004/06/03 15:54
11	3	residual near2 (power voltage) with prevent\$4 same ground\$4	JPO; IBM_TDB	2004/06/03 15:54
-	750	short with sleep\$4	USPAT; EPO	2004/06/02 08:53
-	80	short\$4 with (during near2 sleep\$4)	USPAT; EPO	2004/06/01 15:27
-	6	short\$4 with (during near2 sleep\$4) and g06f\$.ipc.	USPAT; EPO	2004/06/01 15:27
-	12	short with sleep\$4 and 713/3\$.ccls.	USPAT; EPO	2004/06/01 15:35
-	5	short\$4 near3 supply with sleep\$4	USPAT; EPO	2004/06/01 16:08
-	1	short\$1circuit\$4 near3 supply with sleep\$4	USPAT; EPO	2004/06/01 16:08
-	1064	short\$1circuit\$4 near3 supply	USPAT; EPO	2004/06/01 16:08
-	2	short\$1circuit\$4 near3 supply and 713/3\$.ccls.	USPAT; EPO	2004/06/01 16:27
-	2	bleed\$4 near5 (power voltage) and 713/3\$.ccls.	USPAT; EPO	2004/06/01 16:35
-	0	bleed\$4 near5 (supply) and 713/3\$.ccls.	USPAT; EPO	2004/06/01 16:37
-	0	bleed\$1off near5 resistor\$1 and 713/3\$.ccls.	USPAT; EPO	2004/06/01 16:37
-	56	bleed\$1off near5 resistor\$1	USPAT; EPO	2004/06/01 16:37
-	38	bleed\$1off adj resistor\$1	USPAT; EPO	2004/06/01 16:43
-	503	bleed adj resistor\$1	USPAT; EPO	2004/06/01 16:43
-	4	bleed adj resistor\$1 and g06f\$.ipc.	USPAT; EPO	2004/06/01 16:43
-	4175	grounded near5 supply	USPAT; EPO	2004/06/02 08:54
-	10	grounded near5 supply and 713/3\$.ccls.	USPAT; EPO	2004/06/02 08:59
-	66	grounded near5 supply with reduc\$4	USPAT; EPO	2004/06/02 09:16
-	24	grounded near5 supply near5 reduc\$4	USPAT; EPO	2004/06/02 09:09
-	444	ground\$4 near5 supply with reduc\$4 near3 (power voltage)	USPAT; EPO	2004/06/02 09:16
-	14	ground\$4 near5 supply with reduc\$4 near3 (power voltage) and g06f\$.ipc.	USPAT; EPO	2004/06/02 09:20
-	5	ground\$4 near5 supply with adjust\$6 near3 (power voltage) and g06f\$.ipc.	USPAT; EPO	2004/06/02 09:51
-	8	power adj bus\$4 with sleep\$4	USPAT; EPO	2004/06/02 10:31
-	769	power adj bus\$4 with ground\$4	USPAT; EPO	2004/06/02 10:31
-	54	power adj bus\$4 with ground\$4 and g06f\$.ipc.	USPAT; EPO	2004/06/02 10:41
-	27	during near5 sleep with ground\$4	USPAT; EPO	2004/06/02 12:54
-	0	(power adj bus\$4 with ground\$4 and g06f\$.ipc.) and (during near5 sleep with ground\$4)	USPAT; EPO	2004/06/02 10:41

-	1	6675304.pn.	USPAT;	2004/06/02
-	9	("4686617"   "4945444"   "5079448"   "5594636"   "6006336"   "6232830"   "6266776"   "6278598"   "6522981").PN.	EPO USPAT	12:54 2004/06/03 09:56
-	1	((("4686617"   "4945444"   "5079448"   "5594636"   "6006336"   "6232830"   "6266776"   "6278598"   "6522981").PN.) and remove near4 (power voltage current) 6675304.URPN.	USPAT	2004/06/02 13:15
-	0		USPAT	2004/06/02 13:11
-	1	sakai.in. and acpi	USPAT	2004/06/02 13:14
-	4	((("4686617"   "4945444"   "5079448"   "5594636"   "6006336"   "6232830"   "6266776"   "6278598"   "6522981").PN.) and sleep\$4	USPAT	2004/06/02 13:17
-	4	((("4686617"   "4945444"   "5079448"   "5594636"   "6006336"   "6232830"   "6266776"   "6278598"   "6522981").PN.) and (low\$3 adj power\$4)	USPAT	2004/06/02 13:32
-	5	sleep\$4 same (discharg\$4 near2 load\$1)	USPAT;	2004/06/02
-	1	sleep\$4 same (discharg\$4 near2 load\$1)	EPO	14:07
-	5095	power adj bus\$4	JPO; IBM TDB	2004/06/02 14:07
-	13	power adj bus\$4 with contribut\$4	USPAT;	2004/06/02
-	0	power adj bus\$4 with contribut\$4 same sleep\$4	EPO	15:44
-	5293	voltage near2 (plane\$1 rail\$1)	USPAT;	2004/06/02
-	1307	voltage near2 (plane\$1 rail\$1) with ground\$4	EPO	15:45
-	0	voltage near2 (plane\$1 rail\$1) with ground\$4 same sleep	USPAT;	2004/06/02
-	18	voltage near2 (plane\$1 rail\$1) with ground\$4 and sleep	EPO	15:46
-	15	(pull\$1down (pull adj down)) with sleep and (pull\$1up (pull adj up))	USPAT;	2004/06/02
-	20	(pull\$1down (pull adj down)) with sleep	EPO	15:53
-	286	prevent\$4 near6 ((back back\$1driven) near2 voltage)	USPAT;	2004/06/02
-	37	prevent\$4 near6 ((back back\$1driven). near2 voltage) same ground\$4	EPO	10:19
-	3	prevent\$4 near6 ((back back\$1driven) near2 voltage) same (ground\$4 near5 suppl\$4)	USPAT;	2004/06/02
-	65	(sleep\$4 stand\$1by (low adj power) hibernat\$6) near6 ((back back\$1driven) near2 voltage)	EPO	17:07
-	15336	isolat\$5 near5 power	USPAT;	2004/06/03
-	3294	isolat\$5 near5 power adj suppl\$4	EPO	08:35
-	645	isolat\$5 near5 power adj suppl\$4 same ground	USPAT	2004/06/03 09:59
-	19	isolat\$5 near5 power adj suppl\$4 same ground and sleep\$4	USPAT	2004/06/03 09:59
-	9	isolat\$5 near5 power adj suppl\$4 same ground same sleep\$4	USPAT;	2004/06/03
-	9	isolat\$5 near5 power adj suppl\$4 same ground\$4 same sleep\$4	EPO	10:00
-	14	isolat\$5 near5 power adj suppl\$4 same ground\$4 same stand\$1by	USPAT;	2004/06/03
-	12	isolat\$5 near5 power adj suppl\$4 same ground\$4 same stand\$1by and switch\$4	EPO	10:01
-	21	isolat\$5 near5 (component\$1 device\$1 peripheral\$1) same (while during) near2 (sleep stand\$1by hibernat\$4)	USPAT;	2004/06/03
-			EPO	10:17

-	0	ground\$4 near5 (volatge adj rail\$1)	USPAT; EPO	2004/06/03 10:17
-	2	prevent\$4 near6 ((back back\$1driven) near2 voltage) same (sleep\$4 stand\$1by)	USPAT; EPO	2004/06/03 10:27
-	0	mark-connolly.xa.	USPAT; EPO	2004/06/03 10:27
-	30	connolly-mark.xa.	USPAT; EPO	2004/06/03 13:29